

# USB Type-C™ to HDMI Adapter (DP Alt Mode) 4K 60 Hz with HDR and HDCP

## Description

This adapter by Delock is suitable for the connection of a **HDMI** monitor to a device with USB-C™ interface and DisplayPort alternate mode support.

### Compact adapter

This compact adapter enables the **conversion of a USB Type-C™ male into an HDMI male**. It is simply plugged onto the USB-C™ connector and allows image transmission to an HDMI capable output device such as a monitor, TV or projector.



**Item no. 61075**

EAN: 4043619610754

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x USB Type-C™ female
  - 1 x HDMI male
- Input = USB-C™; Output = HDMI
- DisplayPort 1.4 and High Speed HDMI with Ethernet (HEC) specification
- Resolution up to 4096 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports 3D displays
- Supports HDCP 1.4 and 2.2
- Supports HDR
- Plug & Play
- Housing material: plastic
- Colour: black
- Dimensions (LxWxH): ca. 42 x 18 x 9 mm

## System requirements

- USB Type-C™ male with DisplayPort alternate mode signal

## Package content

- USB-C™ to HDMI adapter

---

## Images



## General

Function:	Plug & Play
Specification:	DisplayPort 1.4

## Interface

Connector 1:	1 x USB Type-C™ female
Connector 2:	1 x HDMI male

## Technical characteristics

Maximum screen resolution:	4096 x 2160 @ 60 Hz
----------------------------	---------------------

## Physical characteristics

Housing material:	Plastic
Length:	42 mm
Width:	18 mm
Height:	9 mm
Colour:	black

## Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

