







CASTOR CAN BE PREFERRED AS AN OPTION.

*Front View*




*Side View*




*Rear View*




*Top View*




*Front View*



*Side View*



*Bottom View*



<b>MATERIAL:</b> 1.2 mm Steel / Powder Coating RAL9005 / RAL7035				
<b>Load Capacity:</b> 1000kg				
<b>STANDARD TYPE PRODUCT CODES</b>	<b>DIMENSIONS(mm)</b>			
<b>Size</b>	<b>W</b>	<b>H</b>	<b>D</b>	<b>X</b>
<b>MR.GTN12U66.XX</b>	600mm	684mm	600mm	594mm
<b>MR.GTN16U66.XX</b>	600mm	861mm	600mm	771mm
<b>MR.GTN20U66.XX</b>	600mm	1039mm	600mm	949mm
<b>MR.GTN22U66.XX</b>	600mm	1128mm	600mm	1038mm
<b>MR.GTN26U66.XX</b>	600mm	1306mm	600mm	1216mm
<b>MR.GTN32U66.XX</b>	600mm	1573mm	600mm	1483mm
<b>MR.GTN36U66.XX</b>	600mm	1750mm	600mm	1660mm
<b>MR.GTN40U66.XX</b>	600mm	1928mm	600mm	1838mm
<b>MR.GTN42U66.XX</b>	600mm	2017mm	600mm	1927mm
<b>MR.GTN46U66.XX</b>	600mm	2195mm	600mm	2105mm
<b>PRODUCT CODES WITH %63 PERFORATED DOOR OPTIONS AND DESCRIPTION</b>				
<b>XX_PRFF63</b>	Front Single Perforated-Rear Double Perforated			
<b>XX_OPRFF63</b>	Front Single Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_ODPRFF63</b>	Front Double Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_APRFF63</b>	Rear Single Perforated-Front Glass (W600 Single / W800 Double)			
<b>XX_ADPRFF63</b>	Rear Double Perforated-Front Glass (W600 Single / W800 Double)			
<b>XX_OADPRFF63</b>	Front Double Perforated-Rear Double Perforated			
<b>XX_OAPRFF63</b>	Front Single Perforated-Rear Single Perforated			
<b>XX_ODAPRFF63</b>	Front Double Perforated-Rear Single Perforated			
<b>XX_NOPRFF63</b>	Angled Front Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_NPRFF63</b>	Angled Front Perforated-Rear Double Perforated			
<b>PRODUCT CODES WITH %80 PERFORATED DOOR OPTIONS</b>				
<b>XX_PRFF80</b>	Front Single Perforated-Rear Double Perforated			
<b>XX_OPRFF80</b>	Front Single Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_ODPRFF80</b>	Front Double Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_APRFF80</b>	Rear Single Perforated-Front Glass (W600 Single / W800 Double)			
<b>XX_ADPRFF80</b>	Rear Double Perforated-Front Glass (W600 Single / W800 Double)			
<b>XX_OADPRFF80</b>	Front Double Perforated-Rear Double Perforated			
<b>XX_OAPRFF80</b>	Front Single Perforated-Rear Single Perforated			
<b>XX_ODAPRFF80</b>	Front Double Perforated-Rear Single Perforated			
<b>XX_NOPRFF80</b>	Angled Front Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_NPRFF80</b>	Angled Front Perforated-Rear Double Perforated			

