


ROLINE RM UTP Data Center Patch Cord Cat.6A (Class EA), Slim, black, 1.5 m

Product No. 21.45.3454
Manufacturer ROLINE RECYCLED MATERIAL
Manufacturer No. 21.45.3454
EAN (single piece) 7630049629714



Category 6A twisted-pair patch cable with RJ-45 connectors on both sides. Particularly thin and flexible cable from our ROLINE Recycled Material product line with individual pairs of wires for use in confined spaces, such as in data centres.

- Durable thanks to moulded-on kink protection
- Suitable as patch cable in patch panels or as device connection cable and intended for use in the LAN
- Contact assignment: 1:1 according to EIA/TIA568, 8 cores
- Structure: 8 cores stranded wire

ROLINE RECYCLED MATERIAL products consist of more than 50% recycled materials. The packaging is even made from 100% recycled material.

Technical specifications	
Manufacturer	ROLINE RECYCLED MATERIAL
Product group	Twisted Pair Cable
Product type	U/UTP patch cord
Colour	black

Length	1.5 m
Shield type	U/UTP
Transfer quality	Cat6A / Class EA
Quantity of wires	8
Conductor cross section (AWG)	AWG 32
Inner conductor material	BC (Bare Copper)
Conductor type	Stranded
Crossed	no
Slim cable	yes
Locking lever	yes
Anti-kink sleeve	Moulded-on
External cable diameter	3.4 +/- 0.2mm
Side 1 Connector Type	RJ-45
Side 1 Connector Gender	Male
Side 2 Connector Type	RJ-45
Side 2 Connector Gender	Male
Connector Type RJ45	Standard
Operating temperature min.	-20 °C
Operating temperature max.	75 °C
Storage temperature min.	-20 °C
Storage temperature max.	80 °C
Weight	22.7 g
Height of packaging (single piece)	20 mm

Width of packaging (single piece)	50 mm
--------------------------------------	-------

Depth of packaging (single piece)	50 mm
--------------------------------------	-------

Package weight (single piece)	0.029 kg
----------------------------------	----------